

Ackerman, Joyce

From: Ackerman, Joyce
Sent: Monday, March 5, 2018 8:52 AM
To: Thomas J. Krasovec; Stovall - CDPHE, Curtis; david.walker@state.co.us
Cc: Jonathan H. Steeler; 'Richard Dean'; Dave Folkes; Piggott, Amelia; Sandusky, Eric; Tobi L. Moore
Subject: RE: Interim Closure Plan -encapsulant

Dear Tom – Curt Stovall and I discussed the interim closure plan and we do not believe the Ecoflex product has the necessary properties for the intended use. The encapsulant for the temporary closure of the stockpiles needs to shed water and not create new leachate from water retention or runoff. We believe the Posi-Shell or equivalent type product would be better.

I will get you additional comments on the proposed interim closure plan later today, but wanted to get you this feedback now so that you can expedite finding a more suitable product.

Please do not hesitate to contact me with any questions or comments.

Joyce Ackerman
On-Scene Coordinator and START P.O.
U.S. EPA Region 8
1595 Wynkoop Street
Denver, CO 80202
(303) 312-6822

From: Thomas J. Krasovec [mailto:TJKrasovec@Geosyntec.com]
Sent: Friday, March 2, 2018 3:05 PM
To: Ackerman, Joyce <Ackerman.Joyce@epa.gov>; Stovall - CDPHE, Curtis <curtis.stovall@state.co.us>; david.walker@state.co.us
Cc: Jonathan H. Steeler <JSteeler@sennlaw.com>; 'Richard Dean' <rdean@stratuscompanies.com>; Dave Folkes <DFolkes@Geosyntec.com>
Subject: Interim Closure Plan

Joyce,

Please find attached the interim closure plan for the Nuehauser Landfill site. Please let me know if you have any questions.

Thanks TJK

Thomas J Krasovec
Senior Professional
Geosyntec Consultants

Ph: 720-509-8911
Cell: 517-719-4984
Geosyntec Consultants, Inc.
5670 Greenwood Plaza Blvd, Suite 540
Greenwood Village, CO 80111

This message and any attachments may contain confidential information protected by attorney-client or other privilege. If you believe this message has been sent to you in error, please reply to the sender that you received it in error and delete the message. Thank you